


What is alpha-gal syndrome (AGS)?

- Alpha-gal syndrome (AGS) is a severe, often life-threatening allergy to a sugar.
- Galactose-alpha-1,3-galactose nickname: alpha-gal



Caused by tick bites

- Mostly lone star ticks (U.S.)
- Many other tick species





What is alpha-gal found in? Most mammals











Cows

Goats

Pigs

Sheep


Cats & dogs



Other non-primate mammals



Exception: GalSafe pigs







Alpha-gal is also found in:

Alpha-gal Information™

AlphaGalinFormation.org

- Products made from mammals
- Products made with ingredients from mammals



Foods

Drugs & medical devices


Personal care products

Household products

How does alpha-gal syndrome work?

#1 Tick bite

#2 Weeks to months for allergy to develop



Hives, itching, swelling Hours Consume mammalian meat, dairy, gelatin, or other mammal-derived products

Abdominal pain, diarrhea, nausea, vomiting

#3 Exposure to alpha-gal

#4 Hours after eating: reactions



Not your grandmother's allergy—it's weird!

Typical food allergies


- Don't know cause
- Usually start in childhood
- Reactions happen quickly
- Reactions: every time
- Typical allergy symptoms, like hives and swelling

Alpha-gal syndrome

- Caused by tick bites
- Usually starts in adulthood
- Reactions delayed (2-10 hrs)
- Reactions: sometimes
- Can mimic IBS or arthritis (no hives or other classic allergic symptoms)

Alpha-gal Information™

Cofactors








What do people with alpha-gal syndrome react to?



Foods & drinks









- Mammal meats, like beef, pork, lamb, goat, & rabbit
- Mammal organs, like liver, kidneys, lungs, intestines
































Foods made with *many* other mammal ingredients


















Foods & drinks made with carrageenan

- From red algae
- These algae also make alpha-gal.













Foods & drinks processed or treated with mammal ingredients or carrageenan















Drugs and medical devices













Personal care & household products





Fluids—most dangerous

Amniotic fluid

Blood

Saliva









Other exposures

- Waste
- Contact with animals
- Fumes

Products used in livestock care—e.g. lanolin









Common symptoms

Skin

Hives, other rashes, itching

G

- Abdominal pain
- Diarrhea, nausea, vomiting
- Heartburn, indigestion

Swelling

• Swelling of the palms, soles of feet, lips, throat, tongue, or eye lids

Breathing

- Cough
- Shortness of breath, difficulty breathing

Cardiac

- Drop in blood pressure
- Dizziness or faintness



Remember AGS reactions are:

Delayed (usually)

Not every time





Itching or swelling of the palms & soles of feet: often first symptom



GI variant of AGS

- GI symptoms ONLY
- No hives or other classic allergic symptoms

Typical symptoms:

- Abdominal pain
- Diarrhea
- Other IBS-like symptoms

Common misdiagnoses:

- ❖ IBS
- ◆ IBD
- Gallbladder issues







Rheumatological symptoms, like joint pain



Anaphylaxis

- Severe, life-threatening reaction
- 75% of people with AGS
- Higher percentage than for any other food allergy—even peanut allergy!






Figure 1. Etiologies of anaphylaxis based on proposed "definitive cause." Alpha-gal, galactose-a-1,3-galactose.

In high prevalence areas

#1 cause of anaphylaxis in adults



Cold Catamenial Medications 2% 1% 5% Mastocytosis. 6% Exercise Alpha-gal 6% 33% Venom 19% Foods 28%

Figure 1. Etiologies of anaphylaxis based on proposed "definitive cause." Alpha-gal, galactose-a-1,3-galactose.

A top cause of anaphylaxis

High prevalence areas:

- #1 cause of anaphylaxis in adults
- Cause of more anaphylaxis than all other food allergies combined.



Cardiac (heart) symptoms

- 30-40% of people w/AGS
- Heart attack



Learn to recognize and respond to anaphylaxis





FARE TRAINING

Recognizing & Responding to Anaphylaxis

Anaphylaxis can happen at any time. Make sure you're prepared to save a life by taking this free course.





How do I know if I have AGS?





Tick bite?

Itchy reaction?








Tick bite

Half the time,

Itchy reaction? people don't notice tick bites!



React *hours* after eating red meat?



2-10 hours later...



Remember!

- Maybe not react every time
- May only react when exercise or drink alcohol





New GI or joint symptoms weeks or months after tick bite?





#1 The alpha-gal IgE blood test

Not like a pregnancy test!



How is AGS diagnosed?

#2: Clinical history

- Tick bites
- Reactions

#3 Change your diet
---> symptoms improve

NOT THESE!

- Skin prick tests
- *Alpha-gal panel
- Alpha-galactosidase



Why is AGS a growing threat?

- Lone star tick populations are exploding
- Lone star ticks are spreading

Huge increase in AGS cases




10TH MOST COMMON

Lone star GKs GPODALLERGY



How do I avoid getting bit by a lone star tick?






How do I avoid getting bit by a lone star tick?

Tick bite avoidance tips: lone star tick edition



Not your grandmother's tick!



- Aggressive
- Fast
- ***** HUNT YOU!





Lone star tick larvae (tiny little baby ticks)

- Bite humans
- Tick bombs
- Hundreds to thousands of bites

Multiple bites \rightarrow \rightarrow More likely to cause AGS











Permethrin treated clothing, shoes, and gear is <u>the single best way</u> to avoid lone star tick bites.





Always read the labels of permethrin products carefully. If you own a cat, talk to your veterinarian about permethrin

Dress for success

Wear

- ✓ Long socks
- ✓ Long pants
- ✓ Long-sleeved shirts
- ✓ Light colored clothes



Tuck

- ✓ Pants into socks
- ✓ Shirt into pants







Tall boots with double-sided carpet tape



- Trazon—on boot
- YYXLIFE—on top of Trazon



Spray with a repellent?



Do NOT rely exclusively on repellents like DEET and picaridin or home remedies---they are NOT always effective against lone star ticks.

Use the EPA repellent tool




Watch where you walk

- Avoid wooded and brushy areas with high grass and litter
- Avoid grassy forest edges










Use a lint roller



Alpha-gal Information.org

- Roll up larval tick bombs
- Check for ticks frequently, using lint roller to pick small ticks you don't see.




Before you enter your car or house, run a lint roller over your clothes again.





As soon as you get home

- Body check
- Remove ticks asap, using proper technique
- Get a shower
- ❖ Clothes → dryer
- If bitten, watch for signs of tick-borne disease






If a you get a tick bite...

Photograph and save the tick!

<u>Tickspotters</u> To ID your tick



<u>Tick Report</u> To test your tick





Resources

- Alpha-gal Information: guide for farmers and ranchers with AGS
 - > Slides & link to webinar
 - Brochures
 - Avoiding tick bites
 - Alpha-gal syndrome patient factsheet
 - Link to support group
- Two Alpha gals
 - > Tips for joyful living with AGS
 - Mentorship program
 - > Instagram account





